

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

1.9423
C3E582

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

Crop	:Tons Plant Nutrients Contained:				:Tons Plant Nutrients Contained:		
	: N	: P2O5	: K2O		: N	: P2O5	: K2O
	<u>North Carolina</u>				<u>South Carolina</u>		
Alfalfa Hay	: 282	58	292	: :	71	14	73
Apples	: 2	-	-	: :	-	-	-
Asparagus	: -	-	-	: :	10	-	-
Barley	: 418	193	138	: :	101	47	33
Beans, Green Lima	: 2	1	2	: :	21	11	14
Beans, Snap	: 76	59	73	: :	50	39	48
Beets	: 3	1	5	: :	5	2	8
Buckwheat	: 31	11	5	: :	-	-	-
Cabbage	: 151	52	578	: :	51	18	196
Carrots	: 1	-	-	: :	-	-	-
Clover-Timothy Hay	: 938	266	1,183	: :	-	-	-
Corn	: 21,428	8,871	5,314	: :	10,382	4,298	2,575
Cotton	: 9,752	3,352	3,021	: :	11,371	3,909	3,523
Cowpeas, Dry	: 240	69	111	: :	1,157	330	532
Cowpea Hay	: 1,848	357	1,079	: :	7,718	1,489	4,507
Cucumbers	: 19	13	26	: :	7	5	9
Grain Hay	: 865	254	850	: :	253	74	249
Tame Hay, Misc.	: 938	266	1,183	: :	166	47	209
Lexpedeza Hay	: 10,925	2,329	5,373	: :	2,296	489	1,129
Oats	: 1,836	726	459	: :	4,332	1,713	1,083
Peanut Hay	: 2,961	571	2,888	: :	589	114	575
Peanuts	: 6,310	1,203	1,008	: :	931	178	149
Peas, Green	: 12	4	5	: :	15	5	6
Potatoes	: 1,270	417	1,960	: :	335	110	517
Rye	: 174	75	57	: :	117	51	38
Soybean Hay	: 6,257	1,518	2,598	: :	664	161	276
Strawberries	: 7	-	-	: :	1	-	-
Sorghum Hay	: 255	81	390	: :	214	68	328
Sorghum Silage	: -	-	-	: :	38	18	69
Sweet Potatoes	: 555	294	973	: :	498	264	873
Sorgo Syrup	: 1	51	32	: :	-	40	25
Soybeans	: 4,094	958	1,590	: :	184	43	72
Tobacco	: 8,305	1,938	11,073	: :	1,311	306	1,748
Tomatoes	: 1	1	3	: :	15	9	40
Velvet Beans	: -	-	-	: :	1,392	420	691
Wheat	: 3,662	1,724	921	: :	1,891	891	476
Watermelon	: 23	6	38	: :	58	16	96
Cantaloupes	: 18	6	33	: :	11	4	21
Peanuts	: 21	-	-	: :	27	-	-
Pepper	: 11	-	-	: :	-	-	-
Total	: 83,692	25,725	43,261	: :	46,282	15,183	20,188

J. H. Stallings
Crop Production Branch
Office of Production
October 15, 1944

NOV 3 1944

2020
10

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

Crop	:Tons Plant Nutrients Contained:				:Tons Plant Nutrients Contained:		
	N	P ₂ O ₅	K ₂ O		N	P ₂ O ₅	K ₂ O
	<u>Indiana</u>				<u>Illinois</u>		
Alfalfa Hay	19,129	3,932	19,807	:	22,631	4,651	23,432
Apples	4	-	-	:	11	-	1
Asparagus	-	-	-	:	25	-	-
Barley	575	266	190	:	908	420	300
Beans, Snap	5	4	5	:	14	11	13
Beets	2	1	4	:	-	-	-
Buckwheat	93	33	16	:	67	23	11
Broomcorn	-	-	-	:	53	20	13
Cabbage	41	14	156	:	108	37	412
Carrots	2	-	-	:	71	2	12
Celery	2	2	5	:	-	-	-
Clover-Timothy Hay	17,057	4,833	21,506	:	17,871	5,063	22,533
Corn	88,371	36,585	21,916	:	179,172	74,177	44,435
Cowpeas, Dry	36	10	17	:	318	91	146
Cowpea Hay	209	40	122	:	1,728	334	1,009
Cucumbers	5	4	7	:	10	7	14
Flaxseed	-	-	-	:	114	46	21
Grain Hay	585	172	576	:	293	86	288
Tame Hay, Misc.	552	156	696	:	2,263	641	2,854
Oats	10,203	4,033	2,551	:	34,742	13,734	8,685
Lespedeza Hay	1,845	393	907	:	2,193	468	1,079
Peas, Green	87	28	34	:	204	65	79
Popcorn	102	42	25	:	101	42	25
Potatoes	431	141	664	:	228	75	352
Rye	781	337	257	:	376	163	124
Soybean Hay	12,466	3,025	5,176	:	16,424	3,985	6,819
Spinach	-	-	-	:	9	4	24
Strawberries	3	-	-	:	4	-	-
Sweet Clover Hay	456	78	341	:	670	115	501
Sorghum Hay	82	26	125	:	102	32	156
Sorghum Silage	211	101	380	:	182	87	328
Sweet Potatoes	11	6	19	:	26	14	45
Sorgo Syrup	-	12	8	:	-	7	5
Sorghum Grain	-	-	-	:	14	6	3
Soybeans	47,939	11,213	18,623	:	124,966	29,229	48,546
Tobacco	143	33	190	:	-	-	-
Tomatoes	553	315	1,449	:	65	37	169
Wheat	9,623	4,532	2,419	:	10,597	4,991	2,664
Cantaloupe	26	8	48	:	5	1	8
Watermelons	24	7	40	:	19	5	31
Peanuts	-	-	-	:	4	-	-
Total	211,654	70,382	98,279	:	416,588	138,669	165,137

J. H. Stallings
Crop Production Branch
Office of Production
October 15, 1944

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

Crop	:Tons Plant Nutrients Contained:			:	:Tons Plant Nutrients Contained:		
	: N	: P ₂ O ₅	: K ₂ O		: N	: P ₂ O ₅	: K ₂ O
	<u>Vermont</u>				<u>Massachusetts</u>		
Alfalfa Hay	: 1,081	222	1,119	: :	964	198	998
Apples	: 3	-	-	: :	9	1	-
Asparagus	: -	-	-	: :	5	-	-
Barley	: 52	24	17	: :	-	-	-
Beans, Dry	: 24	7	9	: :	-	-	-
Buckwheat	: 10	3	2	: :	-	-	-
Clover-Timothy Hay	: 10,350	2,933	13,050	: :	5,341	1,513	6,734
Corn	: 1,021	423	253	: :	723	299	179
Cucumbers	: -	-	-	: :	3	2	4
Grain Hay	: 638	188	628	: :	160	47	157
Tame Hay, Misc.	: 4,775	1,353	6,020	: :	1,642	465	2,070
Oats	: 365	144	91	: :	48	19	12
Potatoes	: 192	63	296	: :	354	116	547
Tobacco	: -	-	-	: :	123	29	164
Cranberries	: -	-	-	: :	31	16	32
Total	: 18,511	5,360	21,485	: :	9,403	2,705	10,897

J. H. Stallings
Crop Production Branch
Office of Production
October 15, 1944



Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

Crop	:Tons Plant Nutrients Contained:				:Tons Plant Nutrients Contained:		
	: N	: P2O5	: K2O		: N	: P2O5	: K2O
	<u>Kentucky</u>				<u>Tennessee</u>		
Alfalfa Hay	: 9,189	1,890	9,514	: :	4,865	1,000	5,037
Apples	: 1	-	-	: :	1	-	-
Barley	: 924	427	305	: :	825	382	272
Beans, Snap	: -	-	-	: :	74	57	71
Buckwheat	: 16	6	3	: :	29	10	5
Cabbage	: 10	3	37	: :	67	23	257
Clover-Timothy Hay	: 5,506	1,560	6,943	: :	2,498	708	3,149
Corn	: 31,647	13,102	7,848	: :	27,705	11,470	6,871
Cotton	: -	-	-	: :	8,022	2,758	2,485
Cowpeas, Dry	: 23	6	10	: :	100	29	46
Cowpea Hay	: 1,311	253	766	: :	1,699	328	992
Grain Hay	: 505	149	497	: :	718	211	706
Tame Hay, Misc.	: 2,374	673	2,993	: :	1,960	555	2,471
Lespedeza Hay	: 18,160	3,872	8,931	: :	27,527	5,869	13,537
Oats	: 541	214	135	: :	1,026	405	256
Peanut Hay	: -	-	-	: :	217	42	212
Peanuts	: -	-	-	: :	313	60	50
Popcorn	: 33	14	8	: :	-	-	-
Potatoes	: 490	161	756	: :	460	151	710
Rye	: 146	63	48	: :	169	73	56
Soybean Hay	: 5,072	1,231	2,106	: :	5,190	1,259	2,155
Strawberries	: 9	-	-	: :	12	-	-
Sorghum Hay	: 632	200	967	: :	653	206	998
Sorghum Silage	: -	-	-	: :	151	72	272
Sweet Potatoes	: 131	69	229	: :	340	180	596
Sorgo Syrup	: -	-	-	: :	1	86	54
Soybeans	: 1,519	355	590	: :	1,680	393	653
Tobacco	: 4,932	1,151	6,576	: :	1,403	327	1,871
Tomatoes	: 21	12	56	: :	29	17	77
Wheat	: 2,458	1,158	618	: :	2,593	1,221	652
Hemp Seed	: 327	160	89	: :	4	2	1
Total	: 85,977	26,729	50,025	: :	90,331	27,894	44,512

J. H. Stallings
Crop Production Branch
Office of Production
October 15, 1944

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

Crop	:Tons Plant Nutrients Contained:				:Tons Plant Nutrients Contained:		
	: N	: P ₂ O ₅	: K ₂ O		: N	: P ₂ O ₅	: K ₂ O
	<u>Missouri</u>				<u>North Dakota</u>		
Alfalfa Hay	: 18,424	3,787	19,077	: :	7,027	1,444	7,275
Apples	: 4	-	-	: :	-	-	-
Barley	: 980	453	323	: :	28,871	13,351	9,532
Beans, Dry	: -	-	-	: :	44	12	17
Buckwheat	: 6	2	1	: :	20	7	3
Cabbage	: 31	11	120	: :	-	-	-
Clover-Timothy Hay	: 11,799	3,343	14,877	: :	83	23	104
Corn	: 58,720	24,310	14,563	: :	10,641	4,405	2,639
Cotton	: 4,821	1,657	1,493	: :	-	-	-
Cowpeas, Dry	: 52	15	24	: :	-	-	-
Cowpea Hay	: 984	190	574	: :	-	-	-
Cucumbers	: 1	1	1	: :	-	-	-
Flaxseed	: 100	40	19	: :	15,847	6,397	2,934
Grain Hay	: 2,155	633	2,119	: :	1,676	493	1,648
Tame Hay, Misc.	: 2,360	669	2,975	: :	9,039	2,561	11,397
Lespedeza Hay	: 27,670	5,900	13,608	: :	-	-	-
Oats	: 15,898	6,284	3,974	: :	21,788	8,613	5,447
Peas, Dry	: -	-	-	: :	171	49	61
Popcorn	: 90	37	22	: :	-	-	-
Potatoes	: 402	132	620	: :	2,321	762	3,580
Rye	: 334	144	110	: :	2,214	956	728
Soybean Hay	: 4,645	1,127	1,929	: :	24	6	10
Spinach	: 12	5	30	: :	-	-	-
Strawberries	: 6	-	-	: :	-	-	-
Sweet Clover Hay	: 643	110	481	: :	2,439	419	1,824
Sorghum Grain	: 361	157	87	: :	28	12	7
Sorghum Hay	: 4,253	1,343	6,505	: :	1,173	370	1,794
Sorghum Silage	: 576	276	1,037	: :	29	14	52
Sweet Potatoes	: 54	29	95	: :	-	-	-
Sorgo Syrup	: -	36	23	: :	-	-	-
Soybeans	: 15,392	3,600	5,979	: :	195	46	76
Tobacco	: 86	20	115	: :	-	-	-
Tomatoes	: 59	33	154	: :	-	-	-
Wheat	: 7,969	3,753	2,004	: :	97,118	45,738	24,418
Watermelons	: 26	7	43	: :	-	-	-
Peanuts	: 11	-	-	: :	-	-	-
Total	: 178,924	58,104	92,982	: :	200,748	85,678	73,546

J. H. Stallings
Crop Production Branch
Office of Production
October 15, 1944

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

Crop	:Tons Plant Nutrients Contained:			:	:Tons Plant Nutrients Contained:		
	: N	: P2O5	: K2O		: N	: P2O5	: K2O
	<u>Pennsylvania</u>				<u>Ohio</u>		
Alfalfa Hay	11,327	2,328	11,728	:	19,482	4,004	20,172
Apples	9	-	1	:	9	-	-
Asparagus	9	-	-	:	-	-	-
Barley	1,247	577	412	:	363	168	120
Beans, Snap	66	51	63	:	-	-	-
Beets	29	10	49	:	-	-	-
Buckwheat	1,191	418	203	:	166	58	28
Cabbage	189	64	721	:	127	43	485
Carrots	45	1	7	:	53	2	9
Celery	31	25	58	:	89	73	168
Cherries	5	3	11	:	1	1	2
Clover-Timothy Hay	36,211	10,260	45,658	:	32,140	9,106	40,525
Corn	20,652	8,550	5,122	:	73,098	30,262	18,128
Cowpea Hay	30	6	17	:	-	-	-
Cucumbers	4	3	6	:	5	3	7
Grain Hay	426	125	419	:	386	113	379
Tame Hay, Misc.	2,512	712	3,167	:	925	262	1,166
Oats	4,571	1,807	1,143	:	9,039	3,573	2,260
Lespedeza Hay	-	-	-	:	328	70	161
Peas, Green	173	55	67	:	50	16	19
Popcorn	-	-	-	:	74	31	18
Potatoes	1,959	644	3,022	:	898	295	1,385
Rye	344	149	113	:	629	272	207
Soybean	1,849	449	768	:	5,149	1,242	2,125
Spinach	42	17	110	:	-	-	-
Strawberries	6	-	-	:	7	-	-
Sweet Clover Hay	-	-	-	:	509	87	381
Soybeans	1,115	261	433	:	49,548	11,589	19,248
Tobacco	596	139	794	:	316	74	421
Tomatoes	280	160	734	:	147	84	386
Sugar beets	-	-	-	:	188	57	272
Wheat	8,464	3,986	2,128	:	16,663	7,847	4,190
Cantaloupes	-	-	-	:	8	2	15
Total	93,382	30,800	76,954	:	210,397	69,334	112,277

J. H. Stallings
Crop Production Branch
Office of Production
October 15, 1944

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

Crop	:Tons Plant Nutrients Contained:			:	:	:Tons Plant Nutrients Contained:		
	: N	: P ₂ O ₅	: K ₂ O			: N	: P ₂ O ₅	: K ₂ O
		<u>Alabama</u>				<u>Mississippi</u>		
Alfalfa Hay	: 212	43	219	:	:	3,361	691	3,480
Beans, Snap	: 5	3	4	:	:	22	17	21
Cabbage	: 18	6	68	:	:	79	27	302
Clover-Timothy Hay	: 55	16	70	:	:	69	20	87
Corn	: 20,374	8,435	5,053	:	:	18,273	7,565	4,531
Cotton	: 15,677	5,389	4,856	:	:	30,176	10,373	9,348
Cowpea, Dry	: 550	157	253	:	:	486	139	224
Cowpea Hay	: 2,384	460	1,392	:	:	2,354	454	1,375
Cucumbers	: 4	3	5	:	:	-	-	-
Grain Hay	: 146	43	144	:	:	106	31	105
Tame Hay, Misc.	: 1,711	485	2,158	:	:	1,573	446	1,984
Lespedeza Hay	: 1,722	367	847	:	:	4,755	1,014	2,339
Oats	: 1,209	478	302	:	:	2,765	1,093	691
Peanut Hay	: 4,991	963	4,869	:	:	558	108	544
Peanuts	: 9,948	1,897	1,590	:	:	473	90	76
Peas, Green	: -	-	-	:	:	9	3	4
Potatoes	: 553	182	853	:	:	200	66	308
Rye	: 5,641	1,369	2,342	:	:	-	-	-
Soybean Hay	: -	-	-	:	:	8,058	1,955	3,346
Strawberries	: 6	-	-	:	:	-	-	-
Sweet Clover Hay	: -	-	-	:	:	214	37	160
Sorghum Hay	: 326	103	499	:	:	357	113	546
Sorghum Silage	: 101	48	181	:	:	254	122	458
Sweet Potatoes	: 549	291	963	:	:	498	265	874
Sorgo Syrup	: 2	142	89	:	:	1	103	65
Soybeans	: 428	100	166	:	:	3,016	705	1,172
Tobacco	: 4	1	5	:	:	-	-	-
Tomatoes	: -	-	-	:	:	18	10	47
Velvet Beans	: 5,046	1,521	2,506	:	:	1,218	367	605
Wheat	: 87	41	22	:	:	141	66	35
Watermelons	: 25	7	41	:	:	22	6	36
Peanuts	: 81	-	-	:	:	69	-	-
Pepper	: -	-	-	:	:	1	-	-
Total	: 71,855	22,550	29,497	:	:	79,126	25,886	32,763

J. H. Stallings
Crop Production Branch
Office of Production
October 15, 1944

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

Crop	:Tons Plant Nutrients Contained:				:Tons Plant Nutrients Contained:		
	N	P ₂ O ₅	K ₂ O		N	P ₂ O ₅	K ₂ O
	<u>Michigan</u>				<u>Wisconsin</u>		
Alfalfa Hay	44,697	9,187	46,280		50,102	10,298	51,877
Apples	24	-	1		3	-	-
Asparagus	18	-	-		-	-	-
Barley	1,160	537	383		4,092	1,892	1,351
Beans, Dry	10,609	3,000	4,035		84	24	32
Beans, Green Lima	8	4	5		19	10	13
Beans, Snap	56	43	54		67	52	64
Beets	18	6	30		96	32	158
Buckwheat	380	133	65		124	44	21
Cabbage	202	69	772		379	130	1,448
Carrots	54	2	9		-	-	-
Cauliflower	11	-	-		-	-	-
Celery	316	258	595		-	-	-
Cherries	25	13	51		4	2	7
Clover-Timothy Hay	23,805	6,745	30,015		63,273	17,927	79,779
Corn	22,220	9,199	5,510		45,748	18,940	11,346
Cucumbers	38	26	52		41	28	56
Flaxseed	32	13	6		139	56	26
Grain Hay	253	74	249		519	152	510
Tame Hay, Misc.	1,794	508	2,262		2,415	684	3,045
Oats	7,341	2,902	1,835		30,827	12,186	7,707
Peas, Dry	9	3	4		126	36	45
Peas, Green	71	23	27		1,406	452	541
Popcorn	13	5	3		-	-	-
Potatoes	2,348	772	3,623		1,719	565	2,652
Rye	413	178	136		631	273	208
Soybean Hay	569	138	236		1,541	374	640
Strawberries	17	-	-		3	-	-
Sweet Clover Hay	616	106	461		992	170	741
Sorghum Hay	-	-	-		20	6	31
Sorghum Silage	-	-	-		58	28	104
Sugar Beets	-	-	-		837	253	1,216
Soybeans	2,825	661	1,097		1,866	436	725
Tobacco	-	-	-		411	96	547
Tomatoes	57	32	149		-	-	-
Wheat	7,054	3,322	1,773		847	399	213
Cantaloupes	13	4	24		-	-	-
Cucumbers	-	-	-		7	3	7
Total	127,066	37,963	99,742		208,396	65,548	165,110

J. H. Stallings
Crop Production Branch
October 15, 1944

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

	:Tons Plant Nutrients Contained:				:Tons Plant Nutrients Contained:		
	: N	: P ₂ O ₅	: K ₂ O		: N	: P ₂ O ₅	: K ₂ O
	<u>Arkansas</u>				<u>Louisiana</u>		
Alfalfa Hay	: 2,867	589	2,969	: :	1,363	280	1,411
Apples	: 2	-	-	: :	-	-	-
Barley	: 54	25	18	: :	-	-	-
Beans, Snap	: 54	41	51	: :	45	34	43
Beets	: -	-	-	: :	5	2	8
Cabbage	: -	-	-	: :	53	18	203
Carrots	: -	-	-	: :	12	-	2
Clover-Timothy Hay	: 221	63	278	: :	193	55	244
Corn	: 10,610	4,393	2,631	: :	9,668	4,002	2,398
Cotton	: 18,216	6,262	5,643	: :	12,107	4,162	3,751
Cowpeas, Dry	: 204	58	94	: :	225	64	103
Cowpea Hay	: 1,490	288	870	: :	626	121	365
Cucumbers	: 1	1	2	: :	5	4	7
Grain Hay	: 758	223	746	: :	40	12	39
Tame Hay, Misc.	: 1,656	469	2,088	: :	938	266	1,183
Lespedeza Hay	: 8,814	1,879	4,334	: :	1,640	350	806
Oats	: 2,104	832	526	: :	1,140	451	285
Oranges and Tangerines	: -	-	-	: :	19	5	23
Peanut Hay	: 574	111	559	: :	341	66	333
Peanuts	: 245	47	39	: :	201	38	32
Potatoes	: 489	161	755	: :	378	124	583
Rice	: 3,558	1,292	706	: :	7,155	2,598	1,420
Soybean Hay	: 4,361	1,058	1,811	: :	2,536	615	1,053
Spinach	: 66	27	172	: :	2	1	6
Strawberries	: 18	-	-	: :	15	-	-
Sorghum Grain	: 24	10	6	: :	16	7	4
Sorghum Hay	: 1,122	354	1,716	: :	173	55	265
Sorghum Silage	: 60	29	108	: :	34	16	60
Sweet Potatoes	: 116	61	203	: :	630	336	1,111
Sorgo Syrup	: 1	50	32	: :	-	8	5
Sugarcane sugar	: -	-	-	: :	644	1,391	18,557
Soybeans	: 4,489	1,050	1,744	: :	835	195	325
Tobacco	: -	-	-	: :	2	1	3
Tomatoes	: 41	23	107	: :	5	3	14
Velvet Beans	: -	-	-	: :	783	236	389
Wheat	: 125	59	31	: :	-	-	-
Watermelon	: 13	4	21	: :	12	3	19
Cantaloupes	: 4	1	7	: :	-	-	-
Eggplant	: -	-	-	: :	2	-	-
Peanuts	: 35	-	-	: :	73	-	-
Pepper	: -	-	-	: :	8	-	-
Total	: 62,392	19,460	28,267	: :	41,927	15,519	35,050

J. H. Stallings
Crop Production Branch
Office of Production
October 15, 1944

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

Crop	:Tons Plant Nutrients Contained:				:Tons Plant Nutrients Contained:		
	: N	: P 205	: K20		: N	: P205	: K20
	<u>Georgia</u>				<u>Florida</u>		
Alfalfa Hay	235	48	243		-	-	-
Asparagus	1	-	-		-	-	-
Avocados	--	-	-		14	9	14
Barley	85	39	28		-	-	-
Beans, Green Lima	23	13	16		60	33	41
Beans, Snap	40	31	38		498	385	477
Cabbage	73	25	279		370	126	1,412
Celery	-	-	-		496	406	934
Clover-Timothy Hay	41	12	52		-	-	-
Corn	19,021	7,875	4,717		3,423	1,417	849
Cotton	13,947	4,794	4,321		258	89	80
Cowpeas, Dry	776	222	357		41	12	19
Cowpea Hay	4,559	880	2,662		179	35	104
Cucumbers	4	3	6		14	10	20
Grain Hay	279	82	275		-	-	-
Grapefruit	-	-	-		797	448	1,779
Tame Hay, Misc.	511	145	644		166	47	209
Lespedeza Hay	2,521	538	1,240		-	-	-
Oats	3,109	1,229	777		46	18	12
Oranges and Tangerines	-	-	-		3,126	743	3,851
Peanut Hay	6,805	1,313	6,638		853	164	832
Peanuts	18,111	3,453	2,894		1,881	359	301
Peas, Green	8	3	3		16	5	6
Potatoes	224	74	346		389	128	600
Rye	84	36	28		-	-	-
Soybean Hay	2,038	495	846		-	-	-
Strawberries	-	-	-		4	-	-
Sorghum Hay	449	142	686		-	-	-
Sorghum Silage	29	14	52		-	-	-
Sweet Potatoes	670	356	1,176		115	61	202
Sorgo Syrup	1	91	58		1	54	34
Sugarcane Sugar	-	-	-		115	248	3,305
Soybeans	149	35	58		-	-	-
Tobacco	975	228	1,300		222	52	296
Tomatoes	11	6	29		72	41	189
Velvet Beans	12,238	3,689	6,077		1,798	542	893
Wheat	1,337	630	336		-	-	-
Watermelons	175	49	290		67	19	112
Cantaloupes	13	4	24		2	-	3
Eggplant	-	-	-		18	3	-
Peanuts	169	-	-		35	-	-
Pepper	-	-	-		56	-	-
Total	88,711	26,554	36,496		15,132	5,454	16,574

J. H. Stallings
Crop Production Branch
Office of Production
October 15, 1944

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

Crop	:Tons Plant Nutrients Contained:			:	:Tons Plant Nutrients Contained:		
	: N	: P2O5	: K2O		: N	: P2O5	: K2O
	<u>Idaho</u>				<u>Wyoming</u>		
Alfalfa Hay	: 43,546	8,950	45,088	: :	12,737	2,618	13,188
Barley	: 5,768	2,667	1,904	: :	1,539	712	508
Apples	: 3	-	-	: :	-	-	-
Beans, Dry	: 4,537	1,283	1,725	: :	2,522	713	959
Clover-Timothy Hay	: 2,443	692	3,080	: :	1,918	543	2,419
Carrots	: 7	-	1	: :	-	-	-
Cherries	: 3	2	6	: :	-	-	-
Corn	: 707	293	175	: :	522	216	129
Flaxseed	: 21	9	4	: :	15	6	3
Grain Hay	: 1,317	387	1,295	: :	359	106	353
Tame Hay, Misc.	: 828	235	1,044	: :	800	227	1,009
Oats	: 2,273	899	568	: :	1,228	486	307
Potatoes	: 4,564	1,500	7,042	: :	228	75	352
Peas, Dry	: 5,987	1,713	2,123	: :	43	12	15
Peas, Green	: 60	19	23	: :	-	-	-
Prunes	: 2	4	20	: :	-	-	-
Rye	: 66	29	22	: :	144	62	47
Sweet Clover Hay	: -	-	-	: :	241	41	180
Sorghum Hay	: -	-	-	: :	82	26	125
Sugar Beets	: 1,842	556	2,675	: :	756	228	1,098
Wheat	: 14,314	6,741	3,599	: :	2,167	1,020	545
Total	: 88,288	25,979	70,394	: :	25,301	7,091	21,237

J. H. Stallings
Crop Production Branch
Office of Production
October 15, 1944

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

Crop	:Tons Plant Nutrients Contained:			:	:Tons Plant Nutrients Contained		
	: N	: P2O5	: K2O		: N	: P2O5	: K2O
		<u>New York</u>				<u>New Jersey</u>	
Alfalfa Hay	: 21,080	4,333	21,826	: :	3,102	638	3,212
Apples	: 47	-	2	: :	8	-	1
Asparagus	: -	-	-	: :	101	-	-
Barley	: 748	346	247	: :	83	38	27
Beans, Dry	: 2,048	579	779	: :	-	-	-
Beans, Green Lima	: 54	29	36	: :	92	50	62
Beans, Snap	: 193	149	185	: :	55	42	52
Beets	: 111	38	184	: :	43	15	72
Buckwheat	: 1,555	546	265	: :	-	-	-
Clover-Timothy Hay	: 61,907	17,540	78,056	: :	2,374	673	2,993
Cabbage	: 1,267	433	4,835	: :	159	54	606
Carrots	: 145	4	24	: :	35	1	6
Cauliflower	: 110	1	1	: :	13	-	-
Celery	: 223	182	419	: :	46	37	86
Cherries	: 19	10	38	: :	-	-	-
Corn	: 9,540	3,950	2,366	: :	2,556	1,058	634
Cucumbers	: 16	10	21	: :	13	9	18
Cowpea Hay	: -	-	-	: :	89	17	52
Grain Hay	: 732	215	719	: :	173	51	170
Tame Hay, Misc.	: 10,184	2,886	12,841	: :	442	125	557
Oats	: 2,987	1,181	747	: :	338	134	84
Peas, Green	: 236	75	91	: :	18	6	7
Potatoes	: 3,116	1,024	4,808	: :	1,200	394	1,852
Rye	: 132	57	44	: :	115	50	38
Soybean Hay	: 213	52	89	: :	996	242	413
Spinach	: 19	8	50	: :	42	17	108
Strawberries	: 8	-	-	: :	5	-	-
Sweet Potatoes	: -	-	-	: :	103	55	181
Soybeans	: 531	124	206	: :	460	108	179
Tobacco	: 12	3	16	: :	-	-	-
Tomatoes	: 258	147	676	: :	372	212	976
Wheat	: 2,853	1,343	717	: :	580	273	146
Watermelons	: -	-	-	: :	5	1	9
Cantaloupe	: 7	2	13	: :	9	3	17
Eggplant	: -	-	-	: :	10	2	-
Cranberries	: -	-	-	: :	4	2	4
Green Pepper	: -	-	-	: :	47	-	-
Total	: 120,351	35,267	130,301	: :	13,688	4,307	12,562

J. H. Stallings
Crop Production Branch
Office of Production
October 15, 1944

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

Crop	:Tons Plant Nutrients Contained:			:	:Tons Plant Nutrients Contained:		
	: N	: P2O5	: K O		: N	: P2O5	: K2O
		<u>Arizona</u>				<u>Utah</u>	
Alfalfa Hay	: 13,785	2,835	14,283	: :	22,513	4,627	23,310
Apples	: -	-	-	: :	2	-	-
Apricots	: -	-	-	: :	8	7	27
Barley	: 731	338	241	: :	3,219	1,489	1,063
Beans, Dry	: 154	43	58	: :	183	52	70
Beans, Snap	: -	-	-	: :	8	6	8
Cabbage	: 52	18	199	: :	59	20	224
Carrots	: 152	4	25	: :	2	-	-
Cauliflower	: 31	1	-	: :	-	-	-
Celery	: -	-	-	: :	22	18	41
Cherries	: -	-	-	: :	9	5	17
Clover-Timothy Hay	: -	-	-	: :	524	149	661
Corn	: 169	70	42	: :	370	153	92
Cotton	: 2,282	784	707	: :	-	-	-
Flaxseed	: 510	206	94	: :	-	-	-
Grain Hay	: 1,383	407	1,360	: :	359	106	353
Grapefruit	: 124	70	277	: :	-	-	-
tame Hay, Misc.	: 373	106	470	: :	524	149	661
Oats	: 75	30	19	: :	581	230	145
Oranges and Tangerines	: 66	16	81	: :	-	-	-
Peas, Green	: -	-	-	: :	286	91	110
Potatoes	: 123	40	190	: :	360	118	556
Rye	: -	-	-	: :	28	12	9
Strawberries	: -	-	-	: :	1	-	-
Sorghum Grain	: 645	282	156	: :	-	-	-
Sorghum Hay	: 82	26	125	: :	-	-	-
Sorghum Silage	: 168	81	302	: :	-	-	-
Tomatoes	: -	-	-	: :	104	59	273
Wheat	: 291	137	73	: :	3,413	1,607	858
Watermelons	: 29	8	47	: :	-	-	-
Cantaloupes	: 79	24	144	: :	2	1	4
Total	: 21,304	5,526	18,893	: :	32,577	8,899	28,482

J. H. Stallings
Crop Production Branch
Office of Production
October 15, 1944

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

Crop	:Tons Plant Nutrients Contained:			:	:Tons Plant Nutrients Contained:		
	: N	: P2O5	: K2O		: N	: P2O5	: K2O
	<u>South Dakota</u>				<u>Nebraska</u>		
Alfalfa Hay	: 10,763	2,212	11,144	: :	31,561	6,487	32,678
Barley	: 16,032	7,414	5,293	: :	12,664	5,856	4,181
Beans, Dry	: 11	3	4	: :	1,684	476	640
Buckwheat	: 12	4	2	: :	-	-	-
Clover-Timothy Hay	: 207	59	261	: :	179	51	226
Corn	: 33,482	13,861	8,303	: :	90,985	37,668	22,564
Flaxseed	: 4,976	2,009	921	: :	84	34	16
Grain Hay	: 652	192	641	: :	771	227	759
Tame Hay, Misc.	: 3,533	1,001	4,454	: :	2,236	633	2,819
Oats	: 21,658	8,561	5,414	: :	22,019	8,704	5,512
Popcorn	: -	-	-	: :	38	16	9
Potatoes	: 386	127	596	: :	1,269	417	1,959
Rye	: 2,879	1,244	947	: :	2,787	1,204	917
Soybean Hay	: 47	12	20	: :	71	17	29
Sweet Clover Hay	: 1,045	179	782	: :	482	83	361
Sorghum Grain	: 443	193	107	: :	491	214	118
Sorghum Hay	: 7,130	2,251	10,904	: :	7,211	2,277	11,029
Sorghum Silage	: 125	60	225	: :	672	322	1,210
Sugar Beets	: 1,590	480	2,309	: :	-	-	-
Soybeans	: 448	105	174	: :	1,669	390	648
Wheat	: 20,196	9,511	5,078	: :	38,610	18,183	9,708
Total	: 125,615	49,478	57,579	: :	215,483	83,259	95,383

J. H. Stallings
Crop Production Branch
Office of Production
October 15, 1944

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

Crop	:Tons Plant Nutrients Contained:				:Tons Plant Nutrients Contained		
	: N	: P2O5	: K2O		: N	: P2O5	: K2O
	Virginia				West Virginia		
Alfalfa Hay	: 2,632	541	2,725	: :	2,092	430	2,166
Apples	: 20	-	1	: :	8	-	-
Barley	: 714	330	236	: :	95	44	31
Beans, Green Lima	: 25	14	17	: :	-	-	-
Beans, Snap	: 51	40	49	: :	-	-	-
Beets	: 2	1	3	: :	-	-	-
Buckwheat	: 47	16	8	: :	99	35	17
Cabbage	: 77	26	296	: :	-	-	-
Clover-Timothy Hay	: 7,107	2,014	8,961	: :	6,886	1,951	8,683
Corn	: 13,976	5,786	3,466	: :	5,898	2,442	1,463
Cotton	: 405	139	125	: :	-	-	-
Cowpeas, Dry	: 41	12	19	: :	-	-	-
Cowpea Hay	: 387	75	226	: :	59	12	35
Cranberries	: 8	6	11	: :	-	-	-
Grain Hay	: 572	168	562	: :	319	94	314
Tame Hay, Misc.	: 1,256	356	1,583	: :	3,436	974	4,333
Lespedeza Hay	: 7,953	1,696	3,911	: :	922	197	454
Oats	: 879	347	220	: :	491	194	123
Peanut Hay	: 1,225	236	1,194	: :	-	-	-
Peanuts	: 3,857	736	617	: :	-	-	-
Peas, Green	: 44	14	17	: :	-	-	-
Potatoes	: 1,007	331	1,554	: :	291	96	450
Rye	: 237	102	78	: :	24	11	8
Soybean Hay	: 3,982	966	1,653	: :	1,327	322	551
Spinach	: 48	19	125	: :	-	-	-
Strawberries	: 6	-	-	: :	-	-	-
Sweet Clover Hay	: 295	51	220	: :	-	-	-
Sorghum Hay	: 41	13	62	: :	-	-	-
Sweet Potatoes	: 213	113	373	: :	-	-	-
Sorgo Syrup	: -	21	14	: :	-	16	10
Soybeans	: 1,869	437	726	: :	69	16	27
Tobacco	: 1,603	374	2,138	: :	37	9	49
Tomatoes	: 190	108	499	: :	-	-	-
Wheat	: 3,694	1,740	929	: :	663	312	167
Watermelon	: 9	3	16	: :	-	-	-
Total	: 54,472	16,831	32,634	: :	22,716	7,155	18,881

J. H. Stallings
Crop Production Branch
Office of Production
October 15, 1944

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

Crop	:Tons Plant Nutrients Contained:				:Tons Plant Nutrients Contained:		
	: N	: P2O5	: K2O		: N	: P2O5	: K2O
		<u>Delaware</u>				<u>Maryland</u>	
Alfalfa Hay	: 235	48	243	: :	1,504	309	1,557
Apples	: 2	-	-	: :	3	-	-
Asparagus	: 6	-	-	: :	8	-	-
Barley	: 118	55	39	: :	793	367	262
Beans, Green Lima	: 67	36	45	: :	31	17	21
Beans, Snap	: 4	3	4	: :	90	69	86
Buckwheat	: -	-	-	: :	50	18	9
Cabbage	: -	-	-	: :	21	70	80
Clover-Timothy Hay	: 593	168	748	: :	5,203	1,474	6,560
Corn	: 1,355	561	336	: :	4,958	2,052	1,230
Cowpeas, Dry	: -	-	-	: :	7	2	3
Cowpea Hay	: 30	6	17	: :	59	12	35
Cucumbers	: 3	2	4	: :	19	13	26
Grain Hay	: 40	12	39	: :	133	39	131
Tame Hay, Misc.	: 28	8	35	: :	166	47	209
Lespedeza Hay	: 225	48	111	: :	492	105	242
Oats	: 31	12	8	: :	317	125	79
Peas, Green	: 26	8	10	: :	149	48	57
Potatoes	: 32	11	50	: :	208	68	321
Rye	: 82	35	27	: :	151	65	50
Soybean Hay	: 569	138	236	: :	1,327	322	551
Spinach	: -	-	-	: :	14	5	35
Strawberries	: 2	-	-	: :	5	-	-
Sweet Potatoes	: 18	10	32	: :	69	36	120
Soybeans	: 621	145	241	: :	573	134	223
Tobacco	: -	-	-	: :	264	62	352
Tomatoes	: 77	44	202	: :	471	269	1,235
Wheat	: 635	299	160	: :	3,095	1,458	778
Watermelons	: 22	6	36	: :	37	10	61
Cantaloupes	: 14	4	26	: :	26	8	48
Total	: 4,835	1,659	2,649	: :	20,243	7,204	14,361

J. H. Stallings
Crop Production Branch
Office of Production
October 15, 1944

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

Crop	:Tons Plant Nutrients Contained:			:	:	:Tons Plant Nutrients Contained		
	: N	: P2O5	: K2O			: N	: P2O5	: K2O
	<u>Nevada</u>					<u>Washington</u>		
Alfalfa Hay	: 6,933	: 1,425	: 7,178	: :	:	: 18,988	: 3,903	: 19,661
Apples	: -	: -	: -	: :	:	: 89	: -	: 3
Apricots	: -	: -	: -	: :	:	: 12	: 10	: 41
Asparagus	: -	: -	: -	: :	:	: 55	: -	: -
Barley	: 392	: 181	: 129	: :	:	: 5,307	: 2,454	: 1,752
Beans, Dry	: -	: -	: -	: :	:	: 81	: 23	: 31
Beans, Snap	: -	: -	: -	: :	:	: 38	: 29	: 36
Cabbage	: -	: -	: -	: :	:	: 65	: 22	: 247
Carrots	: -	: -	: -	: :	:	: 58	: 2	: 10
Cauliflower	: -	: -	: -	: :	:	: 13	: -	: -
Celery	: -	: -	: -	: :	:	: 23	: 19	: 43
Cherries	: -	: -	: -	: :	:	: 49	: 26	: 100
Clover-Timothy Hay	: 442	: 125	: 557	: :	:	: 5,713	: 1,619	: 7,204
Corn	: 50	: 21	: 12	: :	:	: 612	: 253	: 152
Cucumbers	: -	: -	: -	: :	:	: 2	: 1	: 2
Flaxseed	: -	: -	: -	: :	:	: 13	: 5	: 2
Grain Hay	: 80	: 23	: 78	: :	:	: 5,852	: 1,720	: 5,755
Tame Hay, Misc.	: 386	: 109	: 487	: :	:	: 4,568	: 1,294	: 5,759
Oats	: 113	: 45	: 28	: :	:	: 2,846	: 1,125	: 711
Peas, Dry	: -	: -	: -	: :	:	: 10,179	: 2,913	: 3,609
Peas, Green	: -	: -	: -	: :	:	: 605	: 195	: 233
Prunes	: -	: -	: -	: :	:	: 13	: 24	: 121
Potatoes	: 71	: 23	: 110	: :	:	: 1,386	: 455	: 2,138
Rye	: -	: -	: -	: :	:	: 215	: 93	: 71
Spinach	: -	: -	: -	: :	:	: 27	: 11	: 69
Strawberries	: -	: -	: -	: :	:	: 10	: -	: -
Tomatoes	: -	: -	: -	: :	:	: 16	: 9	: 41
Wheat	: 341	: 161	: 86	: :	:	: 32,550	: 15,330	: 8,184
Watermelons	: -	: -	: -	: :	:	: 3	: 1	: 4
Cantaloupes	: -	: -	: -	: :	:	: 15	: 5	: 27
Cranberries	: -	: -	: -	: :	:	: 2	: 1	: 2
Total	: 8,808	: 2,113	: 8,665	: :	:	: 89,405	: 31,542	: 56,008

J. H. Stallings
Crop Production Branch
Office of Production
October 15, 1944

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

Crop	:Tons Plant Nutrients Contained:				:Tons Plant Nutrients Contained:		
	: N	: P2O5	: K2O		: N	: P2O5	: K2O
	<u>Oklahoma</u>				<u>Texas</u>		
Alfalfa Hay	: 11,186	2,299	11,582	: :	8,554	1,758	8,857
Barley	: 1,701	787	562	: :	1,515	701	500
Beans, Dry	: -	-	-	: :	26	7	10
Beans, Snap	: 15	12	15	: :	70	54	67
Beets	: -	-	-	: :	68	23	112
Broomcorn	: 146	55	35	: :	45	17	11
Cabbage	: -	-	-	: :	361	123	1,377
Carrots	: -	-	-	: :	197	6	32
Cauliflower	: -	-	-	: :	5	-	-
Corn	: 9,807	4,060	2,432	: :	37,135	15,374	9,209
Cotton	: 6,293	2,163	1,949	: :	46,957	16,141	14,546
Cowpeas, Dry	: 86	25	40	: :	1,135	324	523
Cowpea Hay	: 864	167	505	: :	1,311	253	766
Cucumbers	: -	-	-	: :	10	7	13
Flaxseed	: 370	149	68	: :	286	116	53
Grain Hay	: 346	102	340	: :	638	188	628
Grapefruit	: -	-	-	: :	548	308	1,224
Tame Hay, Misc.	: 3,091	876	3,898	: :	7,066	2,002	8,909
Lespedeza Hay	: 615	131	302	: :	-	-	-
Oats	: 7,039	2,783	1,760	: :	6,691	2,645	1,673
Oranges and Tangerines	: -	-	-	: :	227	54	280
Peanut Hay	: 4,185	807	4,082	: :	7,533	1,453	7,348
Peanuts	: 1,846	352	295	: :	6,860	1,308	1,096
Peas, Green	: -	-	-	: :	19	6	7
Popcorn	: -	-	-	: :	20	8	5
Potatoes	: 263	86	405	: :	677	223	1,045
Rice	: -	-	-	: :	6,044	2,195	1,200
Rye	: 495	214	163	: :	97	42	32
Soybean Hay	: 213	52	89	: :	356	86	148
Spinach	: 80	32	209	: :	175	70	455
Strawberries	: 2	-	-	: :	1	-	-
Sorghum Grain	: 2,540	1,110	613	: :	34,066	14,883	8,222
Sorghum Hay	: 15,382	4,856	23,525	: :	37,995	11,995	58,110
Sorghum Silage	: 864	414	1,555	: :	1,097	526	1,974
Sweet Potatoes	: 43	23	75	: :	402	213	705
Sorgo Syrup	: -	8	5	: :	1	51	32
Soybeans	: 89	21	34	: :	333	78	129
Tomatoes	: -	-	-	: :	178	101	466
Wheat	: 19,978	9,409	5,023	: :	22,911	10,790	5,760
Watermelons	: 37	10	62	: :	61	17	101
Cantaloupes	: 5	2	9	: :	14	4	27
Eggplant	: -	-	-	: :	3	1	-
Peanuts	: 143	-	-	: :	216	-	-
Pepper	: -	-	-	: :	14	-	-
Total	: 87,724	31,005	59,632	: :	231,918	84,151	135,652

J. H. Stallings
Crop Production Branch
Office of Production
October 15, 1944

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States:

Crop	:Tons Plant Nutrients Contained:				:Tons Plant Nutrients Contained:		
	: N	: P2O5	: K2O		: N	: P2O5	: K2O
	<u>Oregon</u>				<u>California</u>		
Alfalfa Hay	: 16,568	3,405	17,154	: :	89,747	18,446	92,925
Apples	: 10	-	-	: :	34	-	1
Apricots	: -	-	-	: :	67	56	222
Asparagus	: 3	-	-	: :	230	-	-
Avocados	: -	-	-	: :	56	37	56
Barley	: 4,139	1,914	1,367	: :	16,498	7,629	5,447
Beans, Dry	: 55	16	21	: :	9,459	2,675	3,598
Beans, Snap	: 106	82	101	: :	98	76	94
Beets	: 66	22	110	: :	-	-	-
Cabbage	: 49	17	186	: :	429	147	1,639
Carrots	: 21	1	3	: :	774	22	128
Cauliflower	: 13	-	-	: :	198	2	2
Celery	: 29	24	55	: :	571	467	1,075
Cherries	: 36	19	74	: :	25	14	52
Clover-Timothy Hay	: 2,857	809	3,602	: :	938	266	1,183
Corn	: 782	324	194	: :	1,057	437	262
Cotton	: -	-	-	: :	5,925	2,037	1,835
Cucumbers	: 5	4	7	: :	25	17	34
Flaxseed	: 68	28	13	: :	4,936	1,992	914
Grain Hay	: 4,017	1,181	3,950	: :	17,822	5,239	17,527
Grapefruit	: -	-	-	: :	98	55	220
Grain Hay, Misc.	: 5,658	1,603	7,134	: :	2,236	633	2,819
Lemons	: -	-	-	: :	833	485	1,322
Oats	: 3,490	1,380	873	: :	1,661	657	415
Olives	: -	-	-	: :	133	63	457
Oranges and Tangerines	: -	-	-	: :	3,611	858	4,449
Peas, Dry	: 1,431	410	507	: :	-	-	-
Peas, Green	: 580	186	223	: :	541	173	208
Popcorn	: -	-	-	: :	12	5	3
Prunes	: 59	105	526	: :	-	-	-
Potatoes	: 1,085	357	1,674	: :	2,933	964	4,525
Rice	: -	-	-	: :	4,198	1,525	833
Rye	: 298	129	98	: :	69	30	23
Spinach	: -	-	-	: :	163	65	423
Strawberries	: 12	-	-	: :	6	-	-
Sorghum Grain	: -	-	-	: :	1,931	843	466
Sorghum Silage	: -	-	-	: :	72	35	130
Sweet Potatoes	: -	-	-	: :	107	60	188
Sugar Beets	: -	-	-	: :	3,018	911	4,383
Tomatoes	: 13	7	34	: :	1,263	721	3,313
Wheat	: 12,285	5,786	3,069	: :	5,315	2,503	1,336
Watermelons	: 5	2	9	: :	119	33	197
Cantaloupes	: 8	2	15	: :	224	69	411
Cranberries	: 1	-	1	: :	-	-	-
Artichokes	: -	-	-	: :	74	-	-
Pepper	: -	-	-	: :	16	-	-
Total	: 53,749	17,813	41,020	: :	177,522	50,247	153,115

J. H. Stallings, Crop Production Branch
Office of Production, October 15, 1944

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

Crop	:Tons Plant Nutrients Contained:			:	:Tons Plant Nutrients Contained:		
	N	P ₂ O ₅	K ₂ O		N	P ₂ O ₅	K ₂ O
	<u>Kansas</u>				<u>Montana</u>		
Alfalfa Hay	33,088	6,801	34,260	:	27,237	5,598	28,201
Barley	7,049	3,260	2,327	:	7,230	3,343	2,387
Apples	1	-	-	:	1	-	-
Beans, Dry	4	1	1	:	1,005	284	382
Broomcorn	36	14	9	:	-	-	-
Clover-Timothy Hay	593	168	748	:	3,809	1,079	4,802
Cherries	-	-	-	:	-	-	1
Corn	35,414	14,661	8,783	:	1,357	562	336
Cowpeas, Dry	14	4	6	:	-	-	-
Cowpea Hay	209	40	122	:	-	-	-
Flaxseed	2,159	872	400	:	4,784	1,931	886
Grain Hay	293	86	288	:	1,849	543	1,818
Tame Hay, Misc.	1,656	469	2,088	:	2,332	661	2,941
Lespedeza Hay	1,230	262	605	:	-	-	-
Oats	14,569	5,759	3,642	:	5,763	2,278	1,441
Popcorn	35	15	9	:	-	-	-
Potatoes	312	102	481	:	278	91	428
Peas, Dry	-	-	-	:	1,129	323	400
Rye	747	323	246	:	240	104	79
Soybean Hay	427	104	177	:	-	-	-
Sweet Clover Hay	322	55	240	:	2,305	396	1,723
Strawberries	1	-	-	:	-	-	-
Sorghum Grain	6,878	3,005	1,660	:	-	-	-
Sorghum Hay	27,275	8,610	41,714	:	82	26	125
Sorghum Silage	6,658	3,190	11,984	:	-	-	-
Sorgo Syrup	-	5	3	:	-	-	-
Sweet Potatoes	27	14	47	:	-	-	-
Sugar Beets	-	-	-	:	1,627	491	2,362
Soybeans	4,103	960	1,594	:	-	-	-
Wheat	90,872	42,796	22,848	:	46,831	22,055	11,775
Cantaloupe	2	1	3	:	-	-	-
Tobacco	3	1	4	:	-	-	-
Total	233,977	91,578	134,289	:	107,859	39,765	60,087

J. H. Stallings
Crop Production Branch
Office of Production
October 15, 1944

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

Crop	:Tons Plant Nutrients Contained:				:Tons Plant Nutrients Contained:		
	: N	: P ₂ O ₅	: K ₂ O		: N	: P ₂ O ₅	: K ₂ O
	<u>Minnesota</u>				<u>Iowa</u>		
Alfalfa Hay	71,346	14,664	73,873		54,732	11,249	56,670
Apples	1	-	-		-	-	-
Asparagus	-	-	-		2	-	-
Barley	10,305	4,765	3,402		500	231	165
Beans, Dry	92	26	35		-	-	-
Buckwheat	210	74	36		23	8	4
Cabbage	60	21	231		37	12	140
Carrots	5	-	1		-	-	-
Clover-Timothy Hay	22,218	6,295	28,014		32,692	9,263	41,221
Corn	90,497	37,466	22,443		269,111	111,412	66,739
Cucumbers	4	3	5		1	1	2
Flaxseed	16,272	6,569	3,012		4,030	1,627	746
Grain Hay	599	176	589		918	270	903
Tame Hay, Misc.	8,735	2,475	11,014		800	227	1,009
Oats	43,865	17,340	10,966		56,528	22,346	14,132
Peas, Green	323	103	124		42	14	16
Popcorn	-	-	-		612	254	152
Potatoes	2,475	813	3,819		550	181	849
Rye	848	366	279		112	48	37
Soybean Hay	1,612	391	669		3,413	828	1,417
Strawberries	-	-	-		2	-	-
Sweet Clover Hay	2,359	405	1,764		1,286	221	962
Sorghum Grain	-	-	-		17	7	4
Sorghum Hay	326	103	499		887	280	1,357
Sorghum Silage	77	37	138		377	181	678
Sweet Potatoes	-	-	-		12	6	21
Sorgo Syrup	-	-	-		-	31	20
Soybeans	5,878	1,375	2,284		69,618	16,283	27,045
Tobacco	9	2	12		-	-	-
Tomatoes	-	-	-		23	13	60
Wheat	11,345	5,343	2,852		1,886	888	474
Watermelons	-	-	-		3	1	5
Cantaloupes	-	-	-		3	1	5
Total	289,461	98,812	166,061		498,217	175,883	214,833

J. H. Stallings
Crop Production Branch
Office of Production
October 15, 1944

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

Crop	:Tons Plant Nutrients Contained:			:	:	:Tons Plant Nutrients Contained		
	: N	: P2O5	: K2O			: N	: P2O5	: K2O
		<u>Maine</u>				<u>New Hampshire</u>		
Alfalfa Hay	: 212	43	219	:	:	235	48	243
Apples	: 3	-	-	:	:	3	-	-
Barley	: 54	25	18	:	:	-	-	-
Beans, Dry	: 119	34	45	:	:	-	-	-
Beans, Snap	: 28	22	27	:	:	-	-	-
Buckwheat	: 67	23	11	:	:	-	-	-
Clover-Timothy Hay	: 7,176	2,033	9,048	:	:	3,174	899	4,002
Corn	: 269	111	67	:	:	258	107	64
Grain Hay	: 213	63	209	:	:	146	43	144
Tame Hay, Misc.	: 4,306	1,220	5,429	:	:	2,208	626	2,784
Oats	: 1,018	403	255	:	:	65	26	16
Peas, Green	: 55	18	21	:	:	-	-	-
Potatoes	: 7,716	2,535	11,905	:	:	155	51	238
Wheat	: 30	14	8	:	:	-	-	-
Total	: 21,266	6,544	27,262	:	:	6,244	1,800	7,491

		<u>Rhode Island</u>				<u>Connecticut</u>		
Alfalfa Hay	: 47	10	49	:	:	1,387	285	1,436
Apples	: 1	-	-	:	:	3	-	-
Clover-Timothy Hay	: 331	94	418	:	:	3,119	884	3,932
Corn	: 128	53	32	:	:	806	334	200
Grain Hay	: 13	4	13	:	:	133	39	131
Tame Hay, Misc.	: 248	70	313	:	:	1,559	442	1,966
Oats	: 10	4	2	:	:	37	15	9
Potatoes	: 114	37	176	:	:	335	110	517
Tobacco	: -	-	-	:	:	293	68	390
Total	: 892	272	1,003	:	:	7,672	2,177	8,581

J. H. Stallings
Crop Production Branch
Office of Production
October 15, 1944

Estimated Tons of Nitrogen, Phosphoric Acid and Potassium
Contained in Crops Harvested in 1943, by States

Crop	:Tons Plant Nutrients Contained:			:	:	:Tons Plant Nutrients Contained		
	: N	: P2O5	: K2O			: N	: P2O5	: K2O
	<u>Colorado</u>			:	:	<u>New Mexico</u>		
Alfalfa Hay	: 31,185	6,409	32,289	:	:	8,625	1,773	8,930
Apples	: 4	-	1	:	:	3	-	-
Barley	: 7,991	3,695	2,638	:	:	303	140	100
Beans, Dry	: 5,706	1,614	2,170	:	:	1,449	410	551
Beans, Snap	: 30	24	29	:	:	-	-	-
Broomcorn	: 185	70	44	:	:	73	28	17
Cabbage	: 268	92	1,023	:	:	33	11	126
Carrots	: 48	1	8	:	:	41	1	7
Cauliflower	: 54	1	1	:	:	-	-	-
Celery	: 46	38	87	:	:	-	-	-
Cherries	: 6	3	13	:	:	-	-	-
Clover-Timothy Hay	: 3,478	985	4,385	:	:	152	43	191
Corn	: 6,061	2,509	1,503	:	:	1,231	509	305
Cotton	: -	-	-	:	:	1,803	620	558
Cucumbers	: 7	5	10	:	:	-	-	-
Grain Hay	: 971	285	955	:	:	306	90	301
Tame Hay, Misc.	: 2,029	575	2,558	:	:	262	74	331
Oats	: 1,645	650	411	:	:	251	99	63
Peas, Green	: 293	94	113	:	:	1	-	-
Potatoes	: 1,964	645	3,030	:	:	50	17	78
Peas, Dry	: 490	140	174	:	:	-	-	-
Rye	: 730	315	240	:	:	72	32	24
Spinach	: 17	7	44	:	:	-	-	-
Sweet Clover Hay	: 482	83	361	:	:	-	-	-
Sorghum Grain	: 810	354	195	:	:	675	295	163
Sorghum Hay	: 3,845	1,214	5,881	:	:	1,979	625	3,026
Sorghum Silage	: 62	30	112	:	:	132	63	238
Sugar Beets	: 4,544	1,371	6,599	:	:	-	-	-
Tomatoes	: 78	45	205	:	:	-	-	-
Wheat	: 19,870	9,358	4,996	:	:	1,515	714	381
Watermelon	: 3	1	5	:	:	-	-	-
Cantaloupes	: 16	5	30	:	:	4	1	8
Total	: 92,918	30,618	70,110	:	:	18,960	5,545	15,398

J. H. Stallings
Crop Production Branch
Office of Production
October 15, 1944

